

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2984	(command\$1 near5 address\$2) near5 (CLK\$1 OR clock OR edge\$1 OR transition\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/05/14 15:47
L2	7488	SLDRAM\$1 OR RDRAM\$1 OR (XDR ADJ DRAM\$1) OR DRDRAM\$1 OR D-RDRAM\$1 OR Ramlink\$1 OR synclink\$1 OR ((rambus\$1 OR synclink\$1 OR (synchronous ADJ link)) ADJ DRAM\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/05/14 15:47
L3	53	L2 SAME L1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/05/14 15:47
L4	5132	(711/167-169,154).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/05/14 15:47
L5	1756	(711/104-105).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/05/14 15:47
L6	671	L4 AND L5	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/05/14 15:47
L7	3	L6 AND L3	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/05/14 15:48
L8	12	L3 AND (L4 OR L5)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/05/14 15:48
L10	6870	(365/233,194,189.02,230.02,230.08).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2007/05/14 15:48
L11	13	L3 AND (L10)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/05/14 15:48
L13	2984	(command\$1 near5 address\$2) near5 (CCLK\$1 OR CLK\$1 OR clock OR edge\$1 OR transition\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/05/14 15:48

EAST Search History

L14	6584	(address\$2) near5 ((second OR next OR subsequent\$2 OR follows OR following) near5 (CCLK\$1 OR CLK\$1 OR clock OR edge\$1 OR transition\$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/05/14 15:48
L15	219	L13 near5 L14	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/05/14 15:48
L16	79	L15 AND (L4 OR L5 OR L10)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/05/14 15:52
L17	27	L15 AND (L4 OR L5)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/05/14 15:58
L19	52	L15 AND (L10) NOT L17	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/05/14 16:00
L21	27	(US-20030026163-\$ or US-20010006483-\$ or US-20050172095-\$ or US-20060265565-\$).did. or (US-4388620-\$ or US-6279090-\$ or US-6286062-\$ or US-5825710-\$ or US-6266750-\$ or US-6405280-\$ or US-4346458-\$ or US-5666321-\$ or US-6442644-\$ or US-6034916-\$ or US-6192002-\$ or US-3735368-\$ or US-6426915-\$ or US-6094727-\$ or US-3922644-\$ or US-6484244-\$ or US-6172893-\$ or US-6029252-\$ or US-5973989-\$ or US-6560669-\$ or US-6519675-\$ or US-6125078-\$ or US-6178133-\$ or US-6321315-\$).did.	US-PGPUB; USPAT	OR	ON	2007/05/14 16:00
L22	9	L21 AND ((bank ADJ address\$3 OR BA) near5 (row ADJ address\$3 OR RA OR RAS))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/05/14 16:00
L24	69	((command near4 address) near5 (signal\$1 OR bit\$1)) WITH ((bank ADJ address\$3 OR BA) near5 (row ADJ address\$3 OR RA OR RAS))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/05/14 16:01
L25	21	((command near4 address) near5 (signal\$1 OR bit\$1)) WITH ((bank ADJ address\$3 OR BA) near5 (row ADJ address\$3 OR RA OR RAS) near5 (column ADJ address\$3 OR CA OR CAS))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/05/14 16:01

EAST Search History

L26	2	(A8 OR RA8) near5 ((RAS OR RA) near5 pin\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/05/14 16:02
L27	57	((row ADJ address near3 (bit\$1 OR signal\$1)) OR A8 OR RA8) near5 (RAS near5 pin\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/05/14 16:02
L28	3	((row ADJ address) near3 (data OR bit\$1 OR signal\$1)) near5 (shar\$3 OR us\$3) near5 (select\$3 near3 pin\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/05/14 16:03
L29	1	((row ADJ address) near3 (data OR bit\$1 OR signal\$1)) near5 (shar\$3 OR us\$3) near5 (control\$4 near3 pin\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/05/14 16:04
L30	9	((row ADJ address) near5 (data OR bit\$1 OR signal\$1)) WITH (shar\$3 OR us\$3) WITH (control\$4 near5 pin\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/05/14 16:04
L31	11	((row ADJ address) near5 (data OR bit\$1 OR signal\$1)) WITH (shar\$3 OR us\$3) WITH (select\$3 near5 pin\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/05/14 16:06
L32	7	((row ADJ address near3 (bit\$1 OR signal\$1)) OR A7 OR RA7) near5 ((BA0 OR bank ADJ address) near5 pin\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/05/14 16:07
L33	10	((row ADJ address near5 (bit\$1 OR signal\$1)) OR A7 OR RA7) WITH ((BA0 OR bank ADJ address) near5 pin\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/05/14 16:07
L34	53	((address) near2 (data OR bit\$1 OR signal\$1)) near5 (shar\$3 OR us\$3) near5 ((command OR control) near2 pin\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2007/05/14 16:07